

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
 COST SUMMARIES FOR PRIMES
 COST SUMMARY BY LETPROP(PES)
 STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 001

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
09034-84072	84072A	IM 0809(004)	KK1828	IM 09034	Roadside Reconstruction
84072A		LOCATION I-75 from 500' north of Hotchkiss Road to south of US-10			ROUTE I-75

DESCRIPTION: 1.41 mi of concrete reconstruction, widening for additional lanes, barrier and valley gutter, underdrain, storm sewer, guardrail and fencing on I-75 north of Hotchkiss Road northerly to south of US-10, Bay County. This project includes a 5 year materials and workmanship pavement warranty.

CLASSIFICATION RATINGS

Misc = 23.665 %	N2 = 0.036 %	Ka = 0.088 %	Fa = 3.776 %	Ea = 27.128 %
K = 2.589 %	N94B = 0.045 %	N93A = 0.023 %	Cb = 4.059 %	N93D = 0.020 %
B = 32.251 %	Ba = 0.044 %	N95D = 0.193 %	Fb = 0.082 %	N91A = 0.005 %
N91C = 0.076 %	J = 2.202 %	N96L = 0.531 %	N96M = 0.271 %	N6 = 0.152 %
N3 = 0.691 %	H = 0.938 %	I = 1.127 %		

CURRENT DBE GOAL: 10.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 002

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
31013-75464	75464A 88831A	EBSL 0831(005) STP 0831(006)	HH5299 RR6174	EBSL 31013 STE 31013	Resurfacing Roadside Facilities
75464A		LOCATION On M-26, north of 1st Street in Dollar Bay and ending nor of the 10th Street turn in Lake Linden			ROUTE M-26
88831A		south of Airport Road in Dollar Bay and ends north of the 10th Street turn in Lake Linden			M-26

DESCRIPTION: 11.01 mi of hot mix asphalt cold milling and resurfacing,
shoulder base crushing, shaping and trenching, drainage,
guardrail, and concrete curb and gutter on M-26 in the
village of Lake Linden, Houghton County.

CLASSIFICATION RATINGS

Misc = 9.499 %	N2 = 0.230 %	Ka = 0.302 %	J = 6.932 %	Ea = 15.519 %
N92D = 1.567 %	K = 5.042 %	N94B = 0.050 %	N93A = 3.467 %	Cb = 47.326 %
N93G = 1.267 %	N93D = 0.276 %	B = 0.710 %	Ba = 0.155 %	B = 0.710 %
Fa = 0.217 %	N96L = 5.906 %	N3 = 2.445 %	I = 1.021 %	

CURRENT DBE GOAL: 3.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 003

PROPOSAL 67051-74912	PROJECTS 74912A	FEDERAL NUMBER NH 0867(003)	FED ITEM HH5298	CTR. SEC. NH 67051	WORK TYPE Roadside Reconstruction
74912A	LOCATION M-115, From 50th Ave to 19 Mile Rd				ROUTE M-115

DESCRIPTION: 3.08 mi of cold milling, asphalt stabilized crack relief layer, hot mix asphalt resurfacing and miscellaneous safety and drainage improvements on M-115 from 50th Avenue northwesterly to 19 Mile Road, Osceola County.

CLASSIFICATION RATINGS

Misc = 10.456 %	J = 0.704 %	Ea = 16.102 %	N93A = 2.507 %	Cb = 61.286 %
N93D = 0.662 %	B = 0.673 %	Ba = 0.029 %	Fa = 0.232 %	N96L = 2.687 %
N6 = 0.026 %	N3 = 0.442 %	I = 4.188 %	I = 4.188 %	

CURRENT DBE GOAL: 5.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 004

PROPOSAL 25042-100614	PROJECTS 100614A	FEDERAL NUMBER STP 0825(006)	FED ITEM KK1829	CTR. SEC. STH 25042	WORK TYPE Safety Operations
100614A	LOCATION M-13 to Elms Road			ROUTE I-69	

DESCRIPTION: 6.17 mi of median cable barrier installation on I-69 from
east of M-13 easterly to west of Elms Road in the city
of Swartz Creek, Genesee County.

CLASSIFICATION RATINGS

Misc = 6.349 %

Ea = 0.219 %

N96L = 93.431 %

CURRENT DBE GOAL: 0.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 005

PROPOSAL 25092-84118	PROJECTS 84118A	FEDERAL NUMBER STP 0825(007)	FED ITEM KK1832	CTR. SEC. STH 25092	WORK TYPE Safety Operations
84118A	LOCATION M-15 from south of Potter Road to north of Potter				ROUTE M-15

DESCRIPTION: 0.33 mi of hot mix asphalt widening for the addition of left turn lanes with culvert and guardrail work on M-15 from south of Potter Road to north of Potter Road, Genesee County.

CLASSIFICATION RATINGS

Misc = 18.987 %	N2 = 0.619 %	J = 2.777 %	Ea = 35.239 %	N94B = 0.110 %
K = 2.789 %	Ka = 0.122 %	N93A = 2.775 %	Cb = 30.229 %	B = 0.892 %
Fa = 0.296 %	N96L = 4.270 %	N3 = 0.889 %	N3 = 0.889 %	

CURRENT DBE GOAL: 3.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 006

PROPOSAL 84912-88808	PROJECTS 88808A	FEDERAL NUMBER STPG 0884(015)	FED ITEM JJ2918	CTR. SEC. STG 84912	WORK TYPE Traffic Operations
88808A	LOCATION M22,M27,M68,M72,M109,US23 & US31in Alpena, Benzie, Emmet Charlevoix,Cheboygan,Crawford,Leelanau Counties,North Reg				ROUTE Various

DESCRIPTION: Traffic signal upgrading at 13 locations on M-22, M-27,
M-68, M-72, M-109, US-23 and US-31, Alpena, Benzie,
Charlevoix, Emmet, Cheboygan, Crawford, and Leelanau
Counties.

CLASSIFICATION RATINGS

Misc = 13.462 %	J = 0.325 %	Ea = 0.159 %	N96M = 0.190 %	N6 = 2.033 %
L = 83.031 %	N3 = 0.786 %	I = 0.012 %		

CURRENT DBE GOAL: 0.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 007

PROPOSAL 70013-86300	PROJECTS 86300A	FEDERAL NUMBER BHT 0770(039)	FED ITEM RR6123	CTR. SEC. BHT 70013	WORK TYPE Bridge Reconstruction
86300A	LOCATION Fruitport Road at Petty's Bayou				ROUTE

DESCRIPTION: Removal of the existing superstructure and partial removal of the substructure, construction of the proposed bridge and approach work on Fruitport Road over Pettys Bayou, Ottawa County.

CLASSIFICATION RATINGS

Misc = 10.807 %	Ea = 3.144 %	K = 1.042 %	N94B = 0.026 %	Cb = 2.805 %
B = 0.704 %	J = 0.133 %	N96L = 0.592 %	N96M = 0.050 %	N3 = 0.087 %
I = 0.135 %	Fa = 55.066 %	N95D = 4.669 %	N95C = 0.581 %	Fb = 10.144 %
N91B = 4.715 %	N91A = 0.156 %	N4 = 7.327 %		

CURRENT DBE GOAL: 5.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 008

PROPOSAL 02003-88434	PROJECTS 88434A	FEDERAL NUMBER TIP 0802(002)	FED ITEM RR6167	CTR. SEC. TIP 02003	WORK TYPE Road Rehabilitation
88434A	LOCATION H-58 from Buck Hill to Kingston Corners			ROUTE	

DESCRIPTION: 10.30 mi of clearing, excavation, embankment, obliteration
of old road, aggregate base, hot mix asphalt paving,
pavement marking, culverts, traffic control, and restoration
on H-58 from Buck Hill to Kingston Corners, Alger County.

CLASSIFICATION RATINGS

Misc = 7.156 %	Ea = 55.366 %	N94B = 0.080 %	Cb = 33.963 %	N96L = 0.039 %
N6 = 0.242 %	N3 = 0.228 %	I = 2.923 %		

CURRENT DBE GOAL: 10.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 009

PROPOSAL 34470-89554	PROJECTS 89554A	FEDERAL NUMBER STP 0834(001)	FED ITEM RR6152	CTR. SEC. STUL 34470	WORK TYPE Resurfacing
89554A	LOCATION City Wide in Belding, Morton St, Ionia St, North and Sout Broas St , Reed St, Main St, Washington St				ROUTE

DESCRIPTION: 2.25 mi of hot mix asphalt resurfacing including cold milling, concrete sidewalk, sidewalk ramps, concrete curb and gutter, and pavement markings on Morton Street, Ionia Street, Root Street, North and South Broas Streets, Reed Street, Main Street and Washington Street in the city of Belding, Ionia County.

CLASSIFICATION RATINGS

Misc = 17.400 %	J = 17.616 %	Ea = 1.182 %	K = 5.467 %	N93A = 8.972 %
Cb = 45.859 %	N6 = 0.661 %	N3 = 2.462 %	I = 0.377 %	

CURRENT DBE GOAL: 5.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 010

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
17419-89606	89606A	STP 0817(003)	RR6147	STUL 17419	Resurfacing
89606A		LOCATION Easterday Avenue West from I-75 easterly to Ashmun Street			ROUTE

DESCRIPTION: 0.76 mi of concrete pavement repair, cold milling hot mix asphalt, curb and gutter replacement, ADA ramps, drainage improvements, stairway repairs, hot mix asphalt and pavement markings on Easterday Avenue West from I-75 to Ashmin Street in the city of Sault Ste. Marie, Chippewa County.

CLASSIFICATION RATINGS

Misc = 14.411 %	J = 14.933 %	Fa = 5.215 %	Ea = 14.716 %	K = 4.732 %
N94B = 0.023 %	N93A = 7.013 %	Cb = 34.335 %	Ba = 2.366 %	N6 = 0.241 %
N3 = 1.530 %	I = 0.480 %			

CURRENT DBE GOAL: 5.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 011

PROPOSAL 29005-86246	PROJECTS 86246A	FEDERAL NUMBER BRO 0829(006)	FED ITEM RR6159	CTR. SEC. BRO 29005	WORK TYPE Bridge Reconstruction
86246A	LOCATION West Garfield Road at Pine Creek, Gratiot County				ROUTE

DESCRIPTION: Bridge removal and replacement along with related approach
work including hot mix asphalt paving and traffic control on
Garfield Road at Pine Creek, Gratiot County.

CLASSIFICATION RATINGS

Misc = 12.674 %	Ea = 7.101 %	Cb = 3.375 %	B = 0.125 %	J = 0.293 %
N96L = 1.966 %	N3 = 1.074 %	I = 1.791 %	Fa = 59.350 %	N95C = 2.603 %
Fb = 7.677 %	N91B = 1.967 %			

CURRENT DBE GOAL: 5.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 012

PROPOSAL 41900-90309	PROJECTS 90309A	FEDERAL NUMBER CM 0741(072)	FED ITEM RR5888	CTR. SEC. CM 41900	WORK TYPE Miscellaneous
90309A	LOCATION Countywide in Kent County and eastern Ottawa County				ROUTE

DESCRIPTION: Upgrade radio towers at 3 locations, Kent and Ottawa
Counties.

CLASSIFICATION RATINGS

Misc = 96.879 %

Ea = 0.638 %

N96M = 2.482 %

CURRENT DBE GOAL: 0.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 013

PROPOSAL 14001-86387	PROJECTS 86387A	FEDERAL NUMBER BRO 0814(003)	FED ITEM RR6144	CTR. SEC. BRO 14001	WORK TYPE Bridge Reconstruction
86387A	LOCATION Northrop Street at Christinana Creek				ROUTE

DESCRIPTION: Remove existing structure and construct a precast side by side concrete box beam bridge and related approach work on Northrup Street over Christiana Creek, Cass County.

CLASSIFICATION RATINGS

Misc = 20.865 %	Ea = 8.712 %	Cb = 4.404 %	N96L = 2.874 %	N3 = 0.149 %
I = 0.550 %	Fa = 51.607 %	N95C = 6.597 %	Fb = 2.011 %	N91B = 2.228 %

CURRENT DBE GOAL: 5.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 014

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
35024-77587	77587A	STP 0835(003)	RR6168	STL 35024	Roadside Reconstruction
77587A		LOCATION Townline Road from Sand Lake Road easterly to McArdle Roa			ROUTE

DESCRIPTION: 2.96 mi of hot mix asphalt resurfacing, base crushing and shaping, aggregate base, aggregate shoulders, pavement marking, and slope restoration on Townline Road from Sand Lake Road easterly to McArdle Road, Iosco County.

CLASSIFICATION RATINGS

Misc = 12.620 %

Ea = 32.542 %

N92D = 6.989 %

Cb = 40.843 %

N3 = 0.759 %

I = 6.245 %

CURRENT DBE GOAL: 5.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 015

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
25402-84590	84590A	STP 0725(029)	HH4990	STU 25402	Resurfacing
84590A		LOCATION Seymour Road from Silver lake to Cole Road			ROUTE

DESCRIPTION: 0.77 mi of road resurfacing including hot mix asphalt paving, drainage improvements, and pavement markings on Seymour Road from Silver Lake Road to Cole Road, Genesee County.

CLASSIFICATION RATINGS

Misc = 21.658 %	Ea = 24.456 %	K = 7.654 %	N94B = 0.471 %	N93A = 1.552 %
Cb = 40.267 %	J = 2.867 %	N6 = 0.023 %	N3 = 1.049 %	

CURRENT DBE GOAL: 5.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 016

PROPOSAL 65010-86355	PROJECTS 86355A	FEDERAL NUMBER N/A	FED ITEM N/A	CTR. SEC. MCS 65010	WORK TYPE Bridge Reconstruction
86355A	LOCATION County Road 10 at Rifle River				ROUTE

DESCRIPTION: Bridge rehabilitation including bridge deck overlay and
traffic control on Greenwood Road at Rifle River, Ogemaw
County.

CLASSIFICATION RATINGS

Misc = 10.707 %	Ea = 1.269 %	B = 4.326 %	N3 = 0.451 %	Fa = 4.009 %
Fb = 10.383 %	N91A = 40.168 %	N91C = 0.704 %	N91F = 26.773 %	N4 = 1.206 %

CURRENT DBE GOAL: 0.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 017

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
03400-90378	90378A	CM 0703(038)	RR6142	CM 03400	Miscellaneous
90378A		LOCATION 12th Street between M-89 and 102nd Avenue			ROUTE

DESCRIPTION: 0.10 mi of subbase, aggregate base, culverts, hot mix asphalt surfacing and approaches, and restoration on 12th Street at the intersections of 103 Road and 12th Street, Allegan County.

CLASSIFICATION RATINGS

Misc = 12.945 %	Ea = 28.082 %	N92D = 3.591 %	Cb = 46.331 %	J = 6.603 %
N3 = 1.355 %	I = 1.091 %			

CURRENT DBE GOAL: 0.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 018

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
73005-86283	86283A	BRT 0873(003)	RR6158	BRT 73005	Bridge Reconstruction
86283A		LOCATION West Brant Road at South Branch Bad River			ROUTE

DESCRIPTION: Bridge removal and replacement along with related approach
work including hot mix asphalt paving and traffic control on
Brant Road at South Branch Bad River, Saginaw County.

CLASSIFICATION RATINGS

Misc = 13.683 %	Ea = 6.231 %	Cb = 2.496 %	J = 0.072 %	N96L = 3.532 %
N3 = 0.146 %	I = 0.750 %	Fa = 55.280 %	N95C = 4.132 %	Fb = 9.888 %
N91B = 3.785 %				

CURRENT DBE GOAL: 5.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 019

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
49023-79116	100475A 79116A	BHN 0849(005) BHN 0849(004)	RR6176 RR6175	BHN 49022 BHN 49023	Bridge Rehabilitation Bridge Reconstruction
100475A		LOCATION B01 of 49022, US-2 over the Millecoquin River			ROUTE US-2
79116A		B01 of 49023, US-2 over the Cut River			US-2

DESCRIPTION: Deck replacement, steel repair, partial painting, and joint replacement on US-2 over Cut River and over Millecoquin River, Mackinac County.

CLASSIFICATION RATINGS

Misc = 10.235 %	Ea = 1.487 %	K = 0.232 %	N94B = 0.041 %	N93A = 0.123 %
Cb = 10.684 %	N93G = 0.076 %	B = 0.793 %	J = 0.390 %	Fa = 23.358 %
N96L = 2.071 %	N96M = 0.431 %	N6 = 0.256 %	N6 = 0.256 %	N3 = 0.502 %
I = 0.224 %	Fb = 7.921 %	N91B = 26.184 %	N91A = 17.425 %	N91C = 0.204 %
N91F = 0.806 %	N4 = 4.385 %			

CURRENT DBE GOAL: 3.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 020

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
54041-60387	60387A	EBSL 0854(004)	HH5302	EBSL 54041	Resurfacing
	90038A	EBSL 0854(005)	HH5303	EBSL 54041	Resurfacing

	LOCATION	ROUTE
60387A	East of Newcosta Road easterly to Muskegon River	M-20
90038A	Muskegon River Bridge easterly to east of 200th Avenue	M-20

DESCRIPTION: 5.01 mi of hot mix asphalt crushing and shaping, cold milling, resurfacing, ramp resurfacing, intersection and drainage improvements on M-20 beginning east of Newcosta Road and continuing easterly to 200th Avenue, Mecosta County. This project includes a 5 year materials and workmanship pavement warranty.

CLASSIFICATION RATINGS

Misc = 13.854 %	J = 1.769 %	Ea = 10.226 %	N92D = 1.941 %	K = 0.895 %
N94B = 0.062 %	N93A = 3.167 %	Cb = 60.603 %	N93D = 0.615 %	B = 0.465 %
N96L = 2.303 %	N96M = 0.528 %	N6 = 0.432 %	N6 = 0.432 %	N3 = 0.801 %
I = 2.330 %				

CURRENT DBE GOAL: 5.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 021

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
38061-85128	85128A	STPG 0838(012)	JJ2920	STG 38061	Traffic Operations
85128A		LOCATION M-60 from the Calhoun County Line to Spring Arbor Road			ROUTE M-60

DESCRIPTION: 12.63 mi of non-freeway signing upgrade on M-60 from the
Calhoun County line easterly through the village of Concord
to Spring Arbor Road, Jackson County.

CLASSIFICATION RATINGS

Misc = 11.570 %

N6 = 88.430 %

CURRENT DBE GOAL: 0.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 022

PROPOSAL 61023-77966	PROJECTS 77966A	FEDERAL NUMBER EBSL 0861(378)	FED ITEM HH5306	CTR. SEC. EBSL 61023	WORK TYPE Preventive Maintenance
77966A	LOCATION M-46 from US-31 to Maple Island Rd.				ROUTE M-46

DESCRIPTION: 7.33 mi of hot mix asphalt cold milling and resurfacing on
M-46 from west of US-31 easterly to east of Maple Island
Road in the city of Muskegon, Muskegon County. This project
includes a 3 year pavement performance warranty.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 9.771 %	Ea = 0.074 %	Ka = 0.050 %	K = 0.104 %	N93A = 12.870 %
Cb = 74.316 %	N3 = 1.515 %	L = 1.296 %		

CURRENT DBE GOAL: 10.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 023

PROPOSAL 69014-90211	PROJECTS 90211A	FEDERAL NUMBER EBSL 0869(007)	FED ITEM HH5307	CTR. SEC. EBSL 69014	WORK TYPE Preventive Maintenance
90211A	LOCATION I-75 from M-32 to Sturgeon Vally Road in Otsego County			ROUTE I-75	

DESCRIPTION: 8.24 mi of ultra-thin hot mix asphalt overlay with minor horizontal curve modification on I-75 from M-32 northerly to south of Sturgeon Valley Road in the city of Gaylord, townships of Corwith and Livingston, Otsego County. This project includes a 2 year pavement performance warranty.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 12.115 % Ea = 0.520 % N93A = 0.633 % Cb = 76.149 % N93E = 6.508 %
N3 = 4.073 %

CURRENT DBE GOAL: 3.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 024

PROPOSAL 25072-100245	PROJECTS 100245A	FEDERAL NUMBER STP 0825(008)	FED ITEM HH5310	CTR. SEC. STT 25072	WORK TYPE Preventive Maintenance
100245A	LOCATION City of Flint, city of Burton, in Genesee County			ROUTE Various	

DESCRIPTION: 10.35 mi of microsurfacing on M-54 from Hill Road to I-69, from Mt. Morris Road to M-57, and on M-57 from Seymour Road to Brent Run Creek in the cities of Burton and Flint, Genesee County. This project includes a 2 year pavement performance warranty.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 15.523 %	Ea = 11.562 %	Ka = 0.260 %	K = 2.265 %	Cb = 1.975 %
N93E = 4.587 %	N93I = 59.271 %	N3 = 4.553 %		

CURRENT DBE GOAL: 5.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 025

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
69013-75004	75004A	IM 0869(006)	KK1833	IM 69013	Resurfacing
75004A		LOCATION I-75 Ramps in Gaylord, Exit 279			ROUTE I-75

DESCRIPTION: 1.77 mi of hot mix asphalt base crushing and shaping
and new construction on the I-75 ramps at Exit 279 in Bagley
Township, Otsego County.

CLASSIFICATION RATINGS

Misc = 11.785 %	N2 = 0.436 %	Ka = 0.137 %	J = 2.039 %	Ea = 26.206 %
N92D = 1.837 %	Cb = 39.529 %	N91A = 0.041 %	N91C = 0.281 %	N96L = 8.216 %
N96M = 3.008 %	N6 = 3.685 %	N3 = 0.693 %	N3 = 0.693 %	I = 2.101 %

CURRENT DBE GOAL: 5.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 026

PROPOSAL 74011-90123	PROJECTS 90123A	FEDERAL NUMBER NH 0874(005)	FED ITEM HH5312	CTR. SEC. NH 74011	WORK TYPE Preventive Maintenance
90123A	LOCATION 300 feet north of the north Marlette City limits, northerly to 475 feet south of the M-46 intersection.			ROUTE M-53	

DESCRIPTION: 5.39 mi of hot mix asphalt cold milling, resurfacing and joint repairs on M-53 from north of the north Marlette city limits northerly to south of the M-46 intersection in Marlette Township, Sanilac County. This project includes a 3 year pavement performance warranty.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 7.213 %	Ea = 4.231 %	N93A = 13.037 %	N93G = 1.451 %	Cb = 71.523 %
N3 = 1.848 %	I = 0.695 %			

CURRENT DBE GOAL: 5.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
 COST SUMMARIES FOR PRIMES
 COST SUMMARY BY LETPROP(PES)
 STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 027

PROPOSAL 64012-60521	PROJECTS 60521A	FEDERAL NUMBER EBSL 0864(006)	FED ITEM HH5300	CTR. SEC. EBSL 64012	WORK TYPE Preventive Maintenance
60521A		LOCATION Old US-31 over Pentwater River in the N. Limits City of H			ROUTE US-31

DESCRIPTION: Deep overlay, railing replacement, partial deck replacement,
 substructure repairs and approach work on Old US-31 over
 Pentwater River in Hart Township, Oceana County.

CLASSIFICATION RATINGS

Misc = 10.465 %	N2 = 0.045 %	J = 0.537 %	Ea = 2.472 %	K = 0.506 %
N93A = 0.724 %	Cb = 3.051 %	B = 2.561 %	Ba = 0.106 %	N96L = 1.354 %
N3 = 0.808 %	I = 0.205 %	Fa = 12.438 %	Fa = 12.438 %	Fb = 2.203 %
N91B = 18.884 %	N91A = 31.906 %	N91C = 84.204 %	N91F = 7.674 %	N4 = 1.398 %

CURRENT DBE GOAL: 5.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 028

PROPOSAL 64015-57102	PROJECTS 57102A	FEDERAL NUMBER NH 0864(007)	FED ITEM HH5304	CTR. SEC. NH 64015	WORK TYPE Preventive Maintenance
57102A	LOCATION US-31 Over Buchanan Rd				ROUTE US-31

DESCRIPTION: Bridge rehabilitation including joint replacement, deck patching, epoxy overlay, railing patching repairs, pin and hanger replacement, cleaning and coating of the structural steel, substructure repair, approach work and maintaining traffic on northbound and southbound US-31 over Buchanan Road, Oceana County. This project includes a 2 year bridge painting warranty.

CLASSIFICATION RATINGS

Misc = 18.071 %	Ea = 2.386 %	B = 6.328 %	Ba = 0.360 %	Fa = 20.859 %
N3 = 0.261 %	Fb = 10.839 %	N91A = 15.287 %	N91C = 6.576 %	N4 = 19.029 %

CURRENT DBE GOAL: 3.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 029

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
38103-87562	87562A	N/A	N/A	M 38103	Roadside Facilities
87562A		LOCATION I-94 and Mt Hope Road Interchange in the northwest quadra			ROUTE I-94

DESCRIPTION: Hot mix asphalt resurfacing and widening of the carpool
parking lot in the northwest quadrant of I-94 and the Mt.
Hope Road interchange, Jackson County.

CLASSIFICATION RATINGS

Misc = 12.753 %	N2 = 1.426 %	Ea = 33.946 %	N93A = 2.441 %	Cb = 43.359 %
N96M = 3.573 %	N6 = 0.249 %	N3 = 1.067 %	I = 1.182 %	

CURRENT DBE GOAL: 0.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 030

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
34062-90061	90061A	STP 0834(003)	HH5315	ST 34062	Preventive Maintenance
90061A		LOCATION M-21; East of Lovell Street easterly to east of Hillcrest Drive			ROUTE M-21

DESCRIPTION: 1.99 mi of detail 8 joint repairs, hot mix asphalt cold milling and resurfacing on M-21 from east of Lovell Street easterly to east of Hillcrest Drive in the city of Ionia, Ionia County. This project includes a 3 year pavement performance warranty.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 12.221 %	Ea = 1.794 %	K = 0.470 %	N93A = 10.418 %	N93G = 5.357 %
Cb = 63.270 %	N3 = 6.468 %			

CURRENT DBE GOAL: 0.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 031

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
29031-90032	100145A 90032A	STP 0829(008) STP 0829(009)	HH5317 RR6186	ST 29031 STE 29031	Preventive Maintenance Roadside Facilities
100145A		LOCATION US-127BR (Superior Street) from the west approach of the Pine River westerly to Prospect Avenue			ROUTE US127BR
90032A		US-127BR (Superior Sreet) from Pine Avenue westerly to Park Avenue.			US127BR

DESCRIPTION: 0.80 mi of cold milling, hot mix asphalt resurfacing, joint repairs, and streetscaping including decorative concrete, curb and gutter, and drainage improvements on US-127BR (Superior Street) from Pine Street westerly to Park Street and from the western approach of the Pine River Bridge westerly to Prospect Street in the city of Alma, Gratiot County. This project includes a 3 year pavement performance warranty.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 19.390 %	J = 15.504 %	Ea = 2.825 %	K = 10.671 %	N94B = 0.172 %
N93A = 3.905 %	N93G = 1.549 %	Cb = 17.057 %	B = 23.313 %	N6 = 0.339 %
N3 = 2.382 %	H = 0.634 %	L = 2.253 %	L = 2.253 %	

CURRENT DBE GOAL: 5.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 032

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
60021-90176	90176A	N/A	N/A	M 60021	Preventive Maintenance
90176A		LOCATION From west of Jerome St. to East of Haas Rd.			ROUTE M-32

DESCRIPTION: 3.38 mi of overband crack treatment and chip sealing on M-32 from west of Jerome Street to east of Haas Road in the village of Atlanta, townships of Briley and Avery, Montmorency County. This project includes a 2 year pavement performance warranty.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 12.054 % N93E = 19.872 % Ca = 64.745 % N3 = 3.328 %

CURRENT DBE GOAL: 0.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 033

PROPOSAL 83053-90196	PROJECTS 90196A	FEDERAL NUMBER EBSL 0883(003)	FED ITEM HH5311	CTR. SEC. EBSL 83053	WORK TYPE Preventive Maintenance
90196A	LOCATION M-115, from the south jct with M-37 northwesterly to the west Wexford County line			ROUTE M-115	

DESCRIPTION: 5.25 mi of cold milling and hot mix asphalt resurfacing on
M-115 from west of the M-37 south junction northwesterly to
east of the western Wexford County line in the village of
Mesick, Wexford County. This project includes a 3 year
pavement performance warranty.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 8.947 % Ea = 6.620 % N93A = 13.334 % Cb = 69.118 % N3 = 1.979 %

CURRENT DBE GOAL: 2.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 034

PROPOSAL 72071-90215	PROJECTS 90215A	FEDERAL NUMBER N/A	FED ITEM N/A	CTR. SEC. M 72071	WORK TYPE Preventive Maintenance
90215A	LOCATION Backus and Denton Twp, Roscommon County				ROUTE M-157

DESCRIPTION: 1.19 mi of hot mix asphalt overlay and shoulder trenching on M-157 from M-55 northerly to M-18 in the townships of Backus and Denton, Roscommon County. This project includes a 3 year pavement performance warranty.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 15.107 % Ea = 28.952 % N93A = 1.483 % Cb = 51.690 % N3 = 2.765 %

CURRENT DBE GOAL: 0.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 035

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
82072-100417	100417A	CMG 0782(162)	JJ2868	CMG 82072	Miscellaneous
100417A		LOCATION East Jefferson Avenue from Alter Road to Chrysler Freeway West Service Drive			ROUTE

DESCRIPTION: Signal modernization and interconnect 30 signals on East
Jefferson Avenue from Alter Road to Chrysler Freeway West
Service Drive in the city of Detroit, Wayne County.

CLASSIFICATION RATINGS

Misc = 7.137 % L = 92.404 % N6 = 0.458 %

CURRENT DBE GOAL: 0.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 036

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
77033-102102	102102A	STP 0877(010)	YY0352	STE 77033	Roadside Facilities
102102A		LOCATION M-25 from State and Myrtle Roads southeasterly to Metcalf Road			ROUTE

DESCRIPTION: 2.36 mi of hot mix asphalt multi-use path construction
including machine grading, aggregate base, storm sewer
and culverts west of M-25 from State Street and Myrtle Road
southeasterly to Metcalf Road, St. Clair County.

CLASSIFICATION RATINGS

Misc = 7.095 %	Ea = 46.266 %	K = 14.788 %	Cb = 18.792 %	J = 0.382 %
N96L = 7.029 %	N96M = 1.726 %	N6 = 0.390 %	I = 3.529 %	

CURRENT DBE GOAL: 5.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 037

PROPOSAL 70900-90095	PROJECTS 90095A	FEDERAL NUMBER STP 0870(008)	FED ITEM HH5320	CTR. SEC. ST 70900	WORK TYPE Preventive Maintenance
90095A	LOCATION US-31 NB and SB from 8th Street, Lakewood Boulevard and I-196 BL EB and WB from 120th Avenue to 96th Avenue.			ROUTE US-31 & I-196 BL	

DESCRIPTION: 4.13 mi of full-depth concrete pavement repair and joint sealing on US-31 northbound and southbound from 8th Street northerly to north of Lakewood Boulevard and on I-196BL eastbound and westbound from 120th Avenue easterly to 96th Avenue in the cities of Holland and Zeeland, Ottawa County.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 19.315 % B = 6.060 % Ba = 74.623 %

CURRENT DBE GOAL: 0.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 038

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
79032-90282	100499A 90282A	STP 0879(005) STP 0879(004)	HH5321 HH5316	STE 79032 STT 79032	Roadside Facilities Preventive Maintenance
100499A		LOCATION North of Emerson Street, northerly to south of M-46.			ROUTE M-15
90282A		North of Emerson Street, northerly to south of M-46.			M-15

DESCRIPTION: 9.58 mi of hot mix asphalt cold milling and resurfacing with paved shoulders for non-motorized use on M-15 from north of Emerson Street northerly to south of M-46 in the city of Vassar, Tuscola County. This project includes two 3 year pavement performance warranties.

A 2008 highway preventive maintenance project.

CLASSIFICATION RATINGS

Misc = 8.165 %	Ea = 8.615 %	N93A = 5.378 %	N93G = 0.665 %	Cb = 75.379 %
J = 0.299 %	N3 = 1.465 %	I = 0.030 %		

CURRENT DBE GOAL: 5.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 039

PROPOSAL	PROJECTS	FEDERAL NUMBER	FED ITEM	CTR. SEC.	WORK TYPE
11228-102246	102246A	B-26-0073-0906	AG0364	FM 11228	Miscellaneous
102246A		LOCATION Jerry Tyler Memorial Airport Niles, Michigan			ROUTE

DESCRIPTION: Rehabilitate Runway 14/32 at Jerry Tyler Memorial Airport,
city of Niles, Berrien County.

CLASSIFICATION RATINGS

Misc = 52.681 % Ea = 22.417 % Cb = 19.313 % N3 = 5.587 %

CURRENT DBE GOAL: 5.00

DATE: 12/07/07

MICHIGAN DEPARTMENT OF TRANSPORTATION
COST SUMMARIES FOR PRIMES
COST SUMMARY BY LETPROP(PES)
STATEWIDE

PAGE: 1

LETTING DATE: 080111

CALL: 040

PROPOSAL 77011-87392	PROJECTS 87392A	FEDERAL NUMBER STP 0877(011)	FED ITEM HH5319	CTR. SEC. STT 77011	WORK TYPE Roadside Reconstruction
87392A	LOCATION M-19 from Burt Road to Lapeer Road through Village of Emm				ROUTE M-19

DESCRIPTION: 0.73 mi of road reconstruction with hot mix asphalt surfacing and shoulders, concrete curb, gutter and sidewalks, sanitary sewer and storm drainage system on M-19 from the Burt Road intersection northerly through the village of Emmett to Lapeer Road, St. Clair County. This project includes a 5 year pavement performance warranty.

CLASSIFICATION RATINGS

Misc = 23.957 %	J = 6.416 %	Ea = 27.056 %	Ka = 1.915 %	K = 20.551 %
N94B = 0.130 %	Cb = 18.117 %	Ba = 0.046 %	B = 0.368 %	N96L = 0.192 %
N96M = 0.334 %	N6 = 0.446 %	N3 = 0.285 %	N3 = 0.285 %	I = 0.103 %
L = 0.076 %				

CURRENT DBE GOAL: 10.00

LIST OF NON_FEDERAL CONTRACTS

LETTING DATE	CALL	PROPOSAL	FEDERAL NUMBER	LOCATION
080111	016	65010-86355	N/A	County Road 10 at Rifle River
080111	029	38103-87562	N/A	I-94 and Mt Hope Road Interchange in the northwest quadrant
080111	032	60021-90176	N/A	From west of Jerome St. to East of Haas Rd.
080111	034	72071-90215	N/A	Backus and Denton Twp, Roscommon County